

圣奥总部

中国·杭州市钱江新城市民街 200 号圣奥中央商务大厦

Headquarters

Sunon Central Business Building, No.200 Citizen Street,
Qianjiang CBD, Hangzhou, Zhejiang, China
TEL: +86 571 88166666 +86 571 87171168 PC: 310020

萧山生产基地

中国杭州市萧山经济技术开发区宁东路 35 号

Xiaoshan Manufacturing Base

No.35 Ningdong Road, Xiaoshan Eco&Tech Zone, Hangzhou, Zhejiang, China
TEL: +86 571 82833568 PC: 311200

海宁生产基地

中国浙江省海宁市尖山新区安仁路 6 号

Haining Manufacturing Base

No.6 Anren Road, Jianshan New Area, Haining, Zhejiang, China
TEL: +86 573 87800900 PC: 314415



UP 1
坐站 1 号

V1-201903P1-1000



**坐站 1 号
坐着好沟通**

605mm 起始高度，站久了，坐一会儿。

**UP1,
Sit for More More Smooth Communication**

A minimum height of 605mm. Tired of standing?
Why not have a seat.



**坐站 1 号
站着好开心**

最高 1255mm，坐累了，站起来。

**UP1,
Enjoy Standing**

A maximum height of 1255mm.
Exhausted from sitting? Let's stand up!



坐站 1 号 满足不同身高和坐姿

最大 605mm 升降调节范围，4 档定位记忆，无论 1.8 米长腿帅哥还是娇小可人的 MM，都能找到适合你的姿势。

UP1, for Different Heights and Gestures.

With a 605mm height adjustment range and 4 memorized positions, whether you have long legs like a supermodel or are adorable like Thumbelina, you can always find the perfect gesture.





四海之内皆可用
 选配美标、英标等插座，适用
 不同国家和地区。

Universal Fitting
 UP1 provides American and British
 standard sockets applicable in
 different countries and regions.

智能防撞系统，遇障碍自动加载回退

With an intelligent collision avoidance system, the
 desktop automatically falls back when an obstacle is
 detected.





据说，大公司职员都喜欢站着办公

坐站交替式办公，不仅是年轻人的时尚之选，更是为健康加分的明智之举。赶紧加入队伍，给负重的脊背放个假，活力办公嗨起来！

It seems that all major companies have made a move toward standing working mode.

Sit-to-stand working is not only the preference of young people, but also a smart move to health. Keep up with UP1 in a dynamic workplace, sit or stand at your will to release the pressure on your back.




升降桌运行原理

桌子双侧立柱内置马达，以马达转动带动涡轮旋转，从而使涡轮拉动立柱丝杆盘旋上升（下降），由通过桌面控制器发出的电子信号反馈，使得两侧立柱同步上升（下降），以达到整体桌面上升（下降）。

Operating Principle

Motors inside the understructure actuate the turbine, which enables the mechanism of understructure move upward or downward, then an electronic signal from desktop controller will instruct the understructure to go up and down, and in such way, the desk is lifted or lowered.



两节升降桌架

1. 桌架高度：695mm~1195mm
2. 最大负载：120kg
3. 升降速度：30mm/s
4. 噪音 ≤ 50db.
5. 电压：100~240V
6. 带加载回退功能

2-section Understructure

1. Desk height range: 695mm~1195mm
2. Maximum load: 120kg
3. Speed: 30mm/s
4. Noise ≤ 50Db
5. Voltage: 100V~240V
6. Automatically stop when an obstacle is detected



三节升降桌架





















1. 桌架高度：605mm~1255mm
2. 最大负载：120kg
3. 速度：38mm/s
4. 噪音 ≤ 50db
5. 电压：100~240V
6. 带加载回退功能

3-section Understructure

1. Desk height range: 605mm~1255mm
2. Maximum load: 120kg
3. Speed: 38mm/s
4. Noise ≤ 50Db
5. Voltage: 100V~240V
6. Automatically stop when an obstacle is detected

产品参数 Product Specification

单人桌面
Desktop for Single Desk

				
DZZ60.180060 W1800*D600*H365(mm)	DZZ60.180060 W1600*D600*H365(mm)	DZZ60.150060 W1500*D600*H365(mm)	DZZ60.140060 W1400*D600*H365(mm)	DZZ60.120060 W1200*D600*H365(mm)
				
DZZ61.180070 W1800*D700*H365(mm)	DZZ61.160070 W1600*D700*H365(mm)	DZZ61.150070 W1500*D700*H365(mm)	DZZ61.140070 W1400*D700*H365(mm)	DZZ61.120070 W1200*D700*H365(mm)
				
DZZ62.180060 W1800*D600*H25(mm)	DZZ62.160060 W1600*D600*H25(mm)	DZZ62.150060 W1500*D600*H25(mm)	DZZ62.140060 W1400*D600*H25(mm)	DZZ62.120060 W1200*D600*H25(mm)
				
DZZ63.180070 W1800*D700*H25(mm)	DZZ63.160070 W1600*D700*H25(mm)	DZZ63.150070 W1500*D700*H25(mm)	DZZ63.140070 W1400*D700*H25(mm)	DZZ63.120070 W1200*D700*H25(mm)

亚光白色两节下架
Matte White Two-Section Understructure

				
DZZ62.175060 W1800*D700*H25(mm)	DZZ63.175060 W1800*D700*H25(mm)	DZZ64.175060 W1800*D700*H25(mm)	DZZ65.175068 W1800*D700*H25(mm)	DZZ66.175068 W1800*D700*H25(mm)

黑色无光两节下架
Matte Black Two-Section Understructure

		
DZZ67.175068 W1800*D700*H25(mm)	DZZ68.175068 W1800*D700*H25(mm)	DZZ69.175068 W1800*D700*H25(mm)

材质 Material




亚光白色三节下架
Matte White Three-Section Understructure

				
DZZ70.175060 W1150-1750*D600*H695-1195(mm)	DZZ71.175060 W1150-1750*D600*H695-1195(mm)	DZZ72.175060 W1150-1750*D600*H695-1195(mm)	DZZ73.175060 W1150-1750*D600*H695-1195(mm)	DSXGA/DSXGB.123013 W1230*D130*H109(mm)



黑色无光三节下架
Matte Black Three-Section Understructure

			
DZZ74.175068 W1150-1750*D680*H695-1195(mm)	DZZ75.175068 W1150-1750*D680*H695-1195(mm)	DZZ76.175068 W1150-1750*D680*H695-1195(mm)	DZZ77.175068 W1150-1750*D680*H695-1195(mm)




主推颜色
Featured Colors

		
S-57	S-43	S-37





挡板颜色 (可选配)
Baffle Colors (Optional)

	
S-57	S-59

桌面颜色 (可选配)
Desktop Colors (Optional)

		
S-10C	S-56	S-66

电源插座
Power Socket

	
DMB.022013	DYB.022013
	
DOB.022013	DWN.022013

鉴于产品不断更新，日后产品规格等若有变动，以实物为准，不再另行通知。
Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.