Sunon

European R&D Center Add: Brunnenstrasse 156, 10115 Berlin, Germany

Sunon Mexico Manufacturing Base & Experience Center Add: Calle Palomas No. 201, Parque Industrial Hofusan, Salinas Victoria, Nuevo León CP 65500

USA Branch & Experience Center Add: 525 Technology Drive Suite 150 Irvine, CA.92618

Singapore Branch & Experience Center Add: #01-02 R Building, 18 Robinson Road, Singapore 048547

India Branch & Experience Center Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

Headquarters & Experience Center

- Sunon Technological Innovation Park Add: No.1666 Zhixing Road, Xiaoshan District, Hangzhou, Zhejiang, China





VERTU










Seamless Comfort for Your Body

VERTU is exquisitely crafted and meticulously engineered to ensure your utmost comfort. With its integrated Italian Donati weight activated mechanism, it intuitively adapts to your preferred seating position, delivering a luxurious experience of exceptional quality.







Adaptive Adjustment

The Italian Donati chair base system ensures superior ergonomic support with self-weight synchronized reclining and 103°~125° five-lock positions, adapting to different body types.





80



Adjustable Lumbar Support

Relieving fatigue and revitalizing your energy. With its 67 mm adjustable lumbar support, it provides optimal spinal support, catering to your lower back for maximum comfort.

Function











22° Adjustable Reclining Range

Specification



CVE80SC-2 W660*D625*H1200(mm)



CVE80SW-2 W660*D625*H1200(mm)



CVE61SW-2 CVE70GC-2 W615*D600*H965(mm)



CVE81SW-2 W615*D600*H1175(mm)



W595*D615*H980(mm)



CVE82SW-2 W650*D600*H1175(mm)



CVE70GW-2 W595*D615*H980(mm)



W660*D620*H1010(mm)

CVE60SC-2

09

CVE71GW-2 W595*D615*H980(mm)

Material

CVE60SW-2

Seat & Back Leather

W660*D620*H1010(mm)





Seat Fabric











ZP9817 Back Mesh























CW-AN10H CW-AN21H CW-AN29H CW-AN30H CW-AN40H CW-AN50H CW-AN60H CW-AN70H CW-AN80H

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.